

# GP-1010

## Gamma/Beta Hot Dog Probe



The original "Hot Dog" probe. This detector is an excellent application for specific gamma/beta detection. With a rugged chrome plated brass housing and easy slide internal beta shield, the GP-1010 is the optimal detector for gamma and beta monitoring.



- ✓ **Beta/Gama Detection**
- ✓ **Rugged Housing w/ easy slide internal beta shield**
- ✓ **Compatible with all WB Johnson Instruments (others on request)**

GENERAL	Intended for general gamma (dose) measurements
Compatibility	ALL WB Johnson Instruments (others on request)
Operating Voltage	900 vdc
Wall Thickness	40 mg/cm <sup>2</sup>
Range	200 mR/hr +_energy dependent
CPM -mr/hr(Cs-137)	1200
Energy Response	60keV - 2 MeV gamma
Sensitive Area	1.1" x .308"
Finish	Chrome Plated Brass
Dimensions	1.25" dia x 7" L
Environmental	-20° F[-28° C]-140° F[60° C]   5-95% RH - IPX4
Weight	8oz



## Standard Product Warranty

At WB Johnson Instruments, we stand behind our products. We guarantee your satisfaction in the quality of our instruments by providing a complete one year warranty covering any defect of workmanship, material, and/or design. If our products do not perform, we will provide complete repair and/or replacement.

## Calibration & Repair Services

The proper maintenance & calibration of your instruments is critical to ensure proper performance & accuracy. This is why every WB Johnson instrument is provided with a NIST Traceable Calibration Certificate with ISO 17025 Accredited Certification.

This high level calibration provides assurance that the instrument meets the most stringent industry calibration & traceability parameters, thereby giving you comfort in our instrument's accuracy and reliability when it matters most.